PRODUCT CATALOGUE

NEX COATING

Customized solutions for maximized efficiency

We were established in January 2013 with the joint Japanese capital investment between Ebisu kasei & Nagoya Packing expecting to contribute to the needs in various industries with our strong points.





TAPE & ROLL MATERIAL

Various of adhesive and substrate with low VOC

Tape thickness 0.06 – 0.13mm Valid width 10 –1,200 mm

00					
PRODUCT	800	861	886	888	FOAM TAPE
ADHESIVE			ACRYLIC		
SUBSTRATE	NON-WOVEN	PET FILM 23 μ	TRANSFER	TRANSFER	PU FOAM (BLACK OR WHITE)
RELEASE PAPER COLOR			WHITE (0.13MM)		
TAPE THICKNESS	0.13 MM	0.115 MM	0.06 MM	0.08 MM	VARIOUS
VALID WIDTH	10 - 1,200 MM	10 - 1,050 MM	1,000 MM	1,000 MM	
LENGTH	50 M	50 M	100 M	100M	
ADHESION	20.3	23.5	21.4	23.5	
CHARACTERISTIC	HIGH ADHESION WITH GOOD REPULSION	HIGH ADHESION , SIZE STABILIZATION	NON-SUBSTRATE , THIN THICKNESS	NON-SUBSTRATE, ROUGH SURFACE	DURABILITY, FLEXIBILITY , WEATHER RESISTANCE
ENVIRONMENT	VOC (SGS) SURVEYED TSM0508G		VOC (SGS) SURVEYED TSM0508G	VOC (SGS) SURVEYED TSM0508G	

Adhesive tape and double sided tape coating





MATERIAL ADHESIVE COATING

Various of material for adhesive coating

Adhesive thickness 0.03 – 0.07mm Valid width 1,520 mm



Direct transfer onto surface with low VOC adhesive





With NEX unique adhesive technology is widely used in a variety of industries

We're always happy to help Let's connect!

